

# Today's Plan:

**Learning Target (standard):** I will use the Law of Sines and Cosines to solve triangles. I will find the area of oblique triangles.

**Students will:** Complete practice problems over previous concepts at the boards, put up homework problems on the board and make necessary corrections to their own work, take notes over new material and complete practice problems over new concepts.

**Teacher will:** Provide practice problems over previous concepts, check homework problems for accuracy and provide students feedback, describe and provide examples of new concepts and assign students assessment problems over new concepts.

**Assessment:** Board work, homework check and homework assignment

**Differentiation:** Students will work at the board, go over and correct homework at their seats, actively engage in lecture over new concepts, practice new concepts with the aid of other students and the teacher and complete homework assignment.

**Solve** the triangle:

$b = 28\text{mi}$   
 $\beta = 43^\circ$   
 $\gamma = 103^\circ$

$\frac{\sin \beta}{b} = \frac{\sin \gamma}{c}$   
 $\frac{\sin 43^\circ}{28} = \frac{\sin 103^\circ}{c}$   
 $c \sin 43^\circ = 28 \sin 103^\circ$   
 $c = \frac{28 \sin 103^\circ}{\sin 43^\circ}$   
 $c = 40.004\text{mi}$


$\alpha = 180^\circ - 43^\circ - 103^\circ$   
 $\alpha = 34^\circ$   
 $\frac{\sin \alpha}{a} = \frac{\sin \beta}{b}$   
 $\frac{\sin 34^\circ}{a} = \frac{\sin 43^\circ}{28}$   
 $a \sin 43^\circ = 28 \sin 34^\circ$   
 $a = \frac{28 \sin 34^\circ}{\sin 43^\circ}$   
 $a = 22.958\text{mi}$

Find the **area** the triangle:

$$a = 7.7m$$

$$b = 9.2m$$

$$c = 4m$$



SSS

$$S = \frac{1}{2}(a+b+c)$$

$$S = \frac{1}{2}(7.7+9.2+4)$$

$$S = \frac{1}{2}(20.9)$$

$$S = 10.45$$

$$A = \sqrt{s(s-a)(s-b)(s-c)}$$


$$= \sqrt{10.45(10.45-7.7)(10.45-9.2)(10.45-4)}$$

$$= \sqrt{10.45(2.75)(1.25)(6.45)}$$

$$= \sqrt{231.6910}$$

$$A = 15.222m^2$$

An airplane flies from city A to city B, a distance of 100 miles, and then turns through an angle of  $20^\circ$  and heads toward city C. If the distance from A to C is 300 miles, how far is it from city B to city C?



$$\frac{\sin B}{b} = \frac{\sin C}{c}$$

$$\frac{\sin 160^\circ}{300} = \frac{\sin C}{100}$$

$$300 \sin C = 100 \sin 160^\circ$$


$$\sin C = \frac{100 \sin 160^\circ}{300}$$

$$\sin C = \frac{100(.3420)}{300}$$

$$\sin C = .1140$$

$$C = \sin^{-1}(.1140)$$

$$C = 6.546^\circ$$



$$A = 180^\circ - 160^\circ - 6.546^\circ$$

$$A = 13.454^\circ$$

$$\frac{\sin 160^\circ}{300} = \frac{\sin 13.454^\circ}{x}$$

$$x \sin 160^\circ = 300 \sin 13.454^\circ$$

$$x = \frac{300 \sin 13.454^\circ}{\sin 160^\circ}$$

$$x = \frac{300(.2327)}{.3420}$$

$$x = 204.079 \text{ mi}$$

# Assignment:

p.563 #9,11,21,23,25,29,33

\* Check answers in the back of the book \*

\* TEST on Solving Oblique Triangles and finding the area of oblique triangles - non-applied section Friday \*

\*TEST - Applied section of oblique triangles will be Monday \*